



Tabella portate residue mod. PS 12 N

Carrello elevatore a forche ricoprenti con pedana ITALIFT PS 12 N

PS 12 N 29			
h3 (mm)	Q (Kg)		
2.900	1.000	800	
2.500	1.200	1.000	
c (mm)	600	700	

PS 12 N 32			
h3 (mm)	Q (Kg)		
3.200	800	600	
2.900	1.000	800	
2.500	1.200	1.000	
c (mm)	600	700	

PS 12 N 36			
h3 (mm)	Q (Kg)		
3.600	600	400	
3.200	800	600	
2.900	1.000	800	
2.500	1.200	1.000	
c (mm)	600	700	



mod. PS 16 N

Carrello elevatore a forche ricoprenti con pedana ITALIFT PS 16 N

PS 16 N 29			
h3 (mm)	Q (Kg)		
2.900	1.400	1.100	
2.500	1.600	1.200	
c (mm)	600	700	

PS 16 N 32			
h3 (mm)	Q (Kg)		
3.200	1.200	900	
2.900	1.400	1.100	
2.500	1.600	1.200	
c (mm)	600	700	

PS 16 N 36			
h3 (mm)	Q (Kg)		
3.600	1.000	700	
3.200	1.200	900	
2.900	1.400	1.100	
2.500	1.600	1.200	
c (mm)	600	700	

PS 16 N 43			
h3 (mm)	Q (Kg)		
4.300	900	600	
3.600	1.000	700	
3.200	1.200	900	
2.900	1.400	1.100	
2.500	1.600	1.200	
c (mm)	600	700	

PS 16 N 46			
h3 (mm)	Q (Kg)		
4.600	800	500	
4.300	900	600	
3.600	1.000	700	
3.200	1.200	900	
2.900	1.400	1.100	
2.500	1.600	1.200	
c (mm)	600	700	

PS 16 N 53			
h3 (mm)	Q (Kg)		
5.300	700	400	
4.600	800	500	
4.300	900	600	
3.600	1.000	700	
3.200	1.200	900	
2.900	1.400	1.100	
2.500	1.600	1.200	
c (mm)	600	700	

PS 16 N 55			
h3 (mm)	Q (Kg)		
5.500	600	350	
5.300	700	400	
4.600	800	500	
4.300	900	600	
3.600	1.000	700	
3.200	1.200	900	
2.900	1.400	1.100	
2.500	1.600	1.200	
c (mm)	600	700	



mod. PS 20 N

Carrello elevatore a forche ricoprenti con pedana ITALIFT PS 20 N

PS 20 N 36			
h3 (mm)	Q (Kg)		
3.600	1.200	900	
3.200	1.300	1.000	
2.900	1.600	1.300	
2.500	2.000	1.600	
c (mm)	600	700	

PS 206 N 46			
h3 (mm)	Q (Kg)		
4.600	1.000	700	
4.300	1.100	800	
3.600	1.200	900	
3.200	1.300	1000	
2.900	1.600	1.300	
2.500	2.000	1.600	
c (mm)	600	700	